


New Laptop Setup

1. Inspect the contents of the kit received, inside you will find the following:
 - a. Laptop with charger/power supply
 - b. USB Extension Cable (Male to Female)
 - c. USB Hub with multi ports
 - d. One Encrypted Key (Either blue, or black, often already plugged into USB Hub)
 - e. Information Page with Code highlighted, please keep this nearby machine if ever needed



2. Before installing the new laptop, locate the antenna found on your previous netbook (resembles one of the following below), and connect it to the left-hand side of the new laptop



3. Place new netbook on alignment cabinet, Antenna is plugged into the left-hand side. On the right-hand side, plug in the charging cable of the netbook, HDMI cable of your monitor if you have one, and the USB extension cable provided with the netbook. We recommend feeding the wires topside into the center of the cabinet to avoid clutter/damage.
4. Once the cables are sorted, plug in the USB Hub provided with the netbook into the other end of the USB Extension cable. In the hub, plug in any remaining items (USB encrypted key, Printer, and or vin scanner)



5. Power on the netbook, and launch the Alignment program. The alignment heads should be communicating automatically if powered on, if not please contact our service center (678)-717-1050, Hours of 8am-5pm EST.

WARNING

- If the Encrypted USB Key is not plugged into the netbook, it will not allow you to use the alignment program. They must remain plugged in at all times when program is in use. If laptop needs to be mobile you must shut the program down as labeled, and connect the key directly into the usb port on the laptop and relaunch the program.

Encrypted Key will resemble one of the following:

